



Republic of the Philippines  
**Tourism Infrastructure & Enterprise Zone Authority**

**REQUEST FOR QUOTATION**

The Tourism Infrastructure and Enterprise Zone Authority (TIEZA) through its Bids and Awards Committee shall undertake a Small Value Procurement for the **PROCUREMENT OF 1 SET TESTING INSTRUMENT WITH CONSUMABLES FOR WATER QUALITY FOR CHLORINE, TURBIDITY AND COLOR AS PER PR NO. 24-08-0458**, in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

- Name of Project : **PROCUREMENT OF 1 SET TESTING INSTRUMENT WITH CONSUMABLES FOR WATER QUALITY FOR CHLORINE, TURBIDITY AND COLOR AS PER PR NO. 24-08-0458**
- Approved Budget for the Contract : One Hundred Ninety Eight Thousand Four Hundred Sixty Two Pesos Only (Php 198,462.00)
- Description : **1 set Testing Instrument with Consumables for Water Quality for Chlorine, Turbidity and Color**

**Specifications**

Data Logger: Can record at least 500-4,000 time-stamped data points

**Turbidity Specifications**

Range: 0-4,000

Resolution: 0-10.99

Accuracy: 0-2.5+/-0.05 or +/-2% of reading

Light Source: Tungsten Lamp

Unit of Measurement: NTU

**Free Chlorine Specifications**

Range: 0-1,000

Resolution: 0.01-0.5

Accuracy: 0-1+/-0.03

Detector: Silicon Photodiode or Photocell

Unit of Measurement: ppm or mg/L

**Color Specifications**

Range: 0-1,000

Accuracy: +/-3% of the reading

Unit of Measurement: CU, PCU

**CONSUMABLES**

1. DPD Tablets/Powder for Residual Chlorine

Required Quantity: 720 Tests or DPD Tablets/Powder for one year.

2. Calibration standard for Turbidity

Calibration standard should be available/applicable based from the range specification of the testing equipment.



3. Calibration standard for Residual Chlorine  
Calibration standard should be available/applicable based from the range specification of the testing equipment.

**WARRANTY & OTHERS**

1. Instruments installation, commissioning and initial operation to be done by supplier
2. Local Training on site will be provided by the product specialist/chemist.
3. Calibration sticker to be provided by the supplier.
4. One year warranty.
5. Service support in case of equipment breakdown

Delivery Location : TIEZA Regulatory Office, Boracay Island, Malay, Aklan

Delivery Schedule : 15 days upon receipt of the Notice to Proceed

Interested suppliers are required to submit the following:

1. Valid and current **Mayor's Permit** (*proof of application in case expired*);
2. **Income/Business Tax Return**(*required for projects with ABC above Php500, 000.00*),
3. **PhilGEPS Registration Number**;
4. **Omnibus Sworn Statement** (*see attached format*) duly notarized with attached **Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable** authorizing the representative (*If a partnership, corporation, cooperative, or joint venture*)
5. **Price Quotation Form** (**BIDDERS ARE REQUIRED TO USE THE ATTACHED**) upon submission of proposal. The authorized representative as identified in the Omnibus Sworn Statement shall be the signatory in the proposal/price quotation form.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above.

Any interlineations, erasures or overwriting shall be valid only if signed or initialed by the bidder or his/her duly authorized representative/s.

Sealed Quotation/s attached with the required supporting documents shall be submitted face-to-face to the BAC Secretariat, Tourism Infrastructure and Enterprise Zone Authority (TIEZA) 7<sup>th</sup> Floor, Tower 1, Double Dragon Meridian Tower, Diosdado Macapagal Ave. cor. EDSA Extension, Pasay City on or before **18 November 2024 at 1:00 PM.**

For inquiries, you may contact **BAC Secretariat at 8249-5986 Local 713/714** from Mondays to Thursdays at 8:00 am to 7:00 pm.



**ATTY. NIÑO RUPERTO F. AQUINO**  
*Chairperson*  
Bids and Awards Committee